



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 7, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.												
Springfield, Ill.	51,678	13	2						2	1		2
Springfield, Mass.	88,926	30	3		1							7
Trenton, N. J.	96,815	34					5		4	3		
Wilkes-Barre, Pa.	67,105	25	5		1		2		2			2
Yonkers, N. Y.	79,803	19	7		1		2		2			
Cities having from 25,000 to 50,000 inhabitants.												
Atlantic City, N. J.	46,150	11										
Aurora, Ill.	29,807	6										
Berkeley, Cal.	40,434	10										
Binghamton, N. Y.	48,443	17							3	1		
Brookline, Mass.	27,792	3	1				2					
Butte, Mont.	39,165	17					1			2		
Chattanooga, Tenn.	44,604		1						2			
Chelsea, Mass.	32,452	5					1					
Chicopee, Mass.	25,401	7	1								1	
Danville, Ill.	27,871	8					2			2		
Elmira, N. Y.	37,176	12	1							1	3	
Everett, Mass.	33,484	7			1		1			1	1	
Fitchburg, Mass.	37,826	17	1						1		1	
Haverhill, Mass.	44,115	17	3	1	1					1		
Kalamazoo, Mich.	39,437	28		1						2		
La Crosse, Wis.	30,417	10					1		1			
Lancaster, Pa.	47,227		3				2		1			
Lexington, Ky.	35,099	9							1	2		1
Lima, Ohio.	30,508	6					2					2
Lynchburg, Va.	29,494	11					1		4	1	2	
Malden, Mass.	44,404	5			2						1	
Montgomery, Ala.	38,136	14	3				1		2	1	6	1
Mount Vernon, N. Y.	30,919						1		1			
Newcastle, Pa.	36,280		3		2				6		3	
Newport, Ky.	30,309	9					2					
Niagara Falls, N. Y.	30,445	10							2			
Norristown, Pa.	27,875	10								2	3	
Orange, N. J.	29,630	12	1				1		1			1
Pittsfield, Mass.	32,121	17	1	1			3				1	
Portsmouth, Va.	33,190	12	1							1		
Racine, Wis.	38,002	18	2									
Roanoke, Va.	34,874	10							4	1	7	
San Diego, Cal.	39,578								2	2		
South Omaha, Nebr.	26,259	5										
Superior, Wis.	40,384	9	4							2		
Taunton, Mass.	34,259	18								1		
Waltham, Mass.	27,834	6	3				1					
West Hoboken, N. J.	35,403		2						2			
Wheeling, W. Va.	41,641	17	10				1		1	1	4	1
Williamsport, Pa.	31,860	9									1	
Wilmington, N. C.	25,748	11	1							3	3	1
Zanesville, Ohio.	28,026	7	3								1	
Cities having less than 25,000 inhabitants.												
Alameda, Cal.	23,833	3			1							
Ann Arbor, Mich.	14,817	6							1			
Beaver Falls, Pa.	12,191						1					
Braddock, Pa.	17,759		2		5		1				1	
Butler, Pa.	20,728		1						4			
Cambridge, Ohio.	11,327	4					2				2	
Carbondale, Pa.	17,040	5										
Clinton, Mass.	13,075	2					1					
Coffeyville, Kans.	12,687										2	
Columbus, Ga.	20,554	9		1						1		
Columbus, Ind.		4					2					
Concord, N. H.	21,497	11			1					1	1	1
Cumberland, Md.	21,839	7			1		1		3	1	1	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 7, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Continued.												
Dunkirk, N. Y.		2										1
Harrison, N. J.	14,498	3										1
Homestead, Pa.	18,710	7			1							
La Fayette, Ind.	20,081	6									2	1
Lebanon, Pa.	19,240	23	2	1					20		1	
Marinette, Wis.	14,610	4										
Marlboro, Mass.	14,579	1	1	1								
Massillon, Ohio	23,870	1									1	
Medford, Mass.	23,150	7					1		1	2		
Melrose, Mass.	16,715	1										
Moline, Ill.	24,199	4	2						1			1
Montclair, N. J.	21,150	9							1			
Nanticoke, Pa.	18,857	4										
Newburyport, Mass.	19,240	6										1
North Adams, Mass.	22,019	9										
Northampton, Mass.	19,431	5										
Ottumwa, Iowa.	22,012	12					2				1	
Palmer, Mass.		2										
Plainfield, N. J.	22,550	5										
Saratoga Springs, N. Y.		1										
Steelton, Pa.	14,246	1										
South Bethlehem, Pa.		4	1									
Wilksburg, Pa.	18,924	6			1				1			
Woburn, Mass.	15,308	4	1								1	1

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

CONNECTICUT.—Month of August 1912. Population of reporting towns, 1,149,019. Total number of deaths from all causes 1,426, including diphtheria 11, measles 2, scarlet fever 3, tuberculosis, pulmonary, 98, typhoid fever 13. Cases reported: Diphtheria 81 in 26 towns, measles 50 in 18 towns, scarlet fever 45 in 17 towns, smallpox 1, in Naugatuck, tuberculosis 108 in 33 towns, typhoid fever 158 in 35 towns.

KANSAS.—Month of July, 1912. Population 1,690,949. Total number of deaths from all causes not reported. The deaths include diphtheria 1, scarlet fever 1, typhoid fever 9. Cases reported: Diphtheria 20, measles 71, scarlet fever 67, smallpox 13, typhoid fever 119.

MICHIGAN.—Month of June, 1912. Population 2,810,173. Total number of deaths from all causes 2,818, including diphtheria 35, measles 9, scarlet fever 6, tuberculosis 189, typhoid fever 41.

Month of August, 1912. Cases of communicable diseases reported: Diphtheria 134, measles 44, scarlet fever 139, smallpox 9, tuberculosis 147, typhoid fever 217.